


# METAL LATH SPECIFICATION SHEET

## Expanded Diamond Metal Lath



### ASTM's and Code Standards

- ASTM C847
- ASTM A653
- ASTM C841 (Installation Only)
- ASTM C1063 (Installation Only)
- ICC ESR-1623
- Fed. Spec. QQ-1-101C
- ANSI A42.3, ANSI A42.4
- U.S. HUD 4930.1

### LEED Points and Recycled Content

By using CEMCO metal lath products, your project can contribute to earning LEED points for:

- LEED MR 2.1 and 2.2: Construction Waste Management: Up to 2 points.
- LEED MR 4.1 and 4.2: Recycled Content: Up to 2 points.
- LEED MR 5.1 & 5.2: Regional Materials

**CEMCO's** Diamond Metal Lath is a versatile base for cement plaster walls. It's carefully formed diamond keys allow for proper embedment and keying of the scratch coat on all types of walls. Can be used with hand and machine applied plaster. This lath is available with or without Grade D asphalt paper backing. All CEMCO expanded metal lath is produced from standard G60 hot-dipped galvanized steel. G90 is available upon special request.

Wt./Sq. Yd. (lbs)	Sheet Size	Pcs./Bundle	Yds./Pallet
1.75	27" x 96"	10	1000
2.5	27" x 96"	10	1000
3.4	27" x 96"	10	1000

Note: 50 bundles per pallet

### CEMCO cold-formed steel framing products contain 30% to 35% recycled steel.

These products are produced from steel consisting of the following contents:

- Total Recycled Content: 32.9%
- Post-Consumer Content: 25.6%
- Pre-Consumer Content: 6.8%
- CEMCO can provide higher recycled content based on blending steel. Please refer to SSMA Tech dated May 2009 to calculate recycled content on blended steel.
- Link to SSMA Tech Note dated May 2009 on LEED® 2.2 Credits for Cold-Formed Steel Framing  
 Manufacturers: <http://www.ssma.com/documents/TNO6%20SSMA%20LEED%202.2.pdf>



### Technical Services

For more technical information about this and other CEMCO products, contact Technical Services at 800.416.2278

#### Project Information

Name: \_\_\_\_\_  
 Project: \_\_\_\_\_  
 \_\_\_\_\_

#### Contractor Information

Name: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Phn: \_\_\_\_\_ FAX: \_\_\_\_\_

#### Architect Information

Name: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Phn: \_\_\_\_\_ FAX: \_\_\_\_\_