



The Innovators of Quality Framing and Lath Systems

1 ½” FURRING “HAT” CHANNEL Specification



Gauge	Height	Bearing Width	Length	Weight MLF	Pcs. / Bdl.	Bdl. / Pallet
25 ga	1 ½”	1.50”	10’, 12’, 20’	280 lbs.	10	50
20 ga	1 ½”	1.50”	10’, 12’, 20’	410 lbs.	10	30

CEMCO Furring Hat Channel is rolled formed from 25 or 20 gauge (18 mil or 33 mil) hot dipped galvanized steel. The hat shaped channel provides 1 ½” of furring and a 1 3/8” knurled surface for attachment with ½” long flanges. The 25 gauge channel has flanges that are hemmed to provide extra stiffness and ease of handling. This product complies with ASTM-A653, with a G40 coating conforming to ASTM-A924. The furring channels meet Federal Specification QQ-S-775-D and ASTM-C645.

CALIFORNIA EXPANDED METAL LATH PRODUCTS CO.

Corporate Office
263 N. Covina Lane,
City of Industry, CA 91744
Phone (800) 775-2362
Fax (626) 330-7598

1001-A Pittsburg Antioch Hwy,
Pittsburg, CA 94565
Phone (925) 473-9340
Fax (925) 473-9341

490 Osage Street,
Denver, CO 80204
Phone (303) 572-3626
Fax (303) 572-3627

www.cemcosteel.com